

Adjustable Aluminum Side Stand for BMW R 1300GS

INSTALLATION & CARE INSTRUCTIONS



Dear Rider,

Thank you for choosing AltRider! Whether a seasoned world adventurer or a first time ADV-Newbie, we welcome you to the AltRider experience. You can install your new product with the utmost confidence. AltRider designs and tests all of its products here in the United States. We are proud to do what we do, and honored to present to you the product of our labors.

Enjoy it, show it off, and most of all, RIDE IT!

Venture On,
Jeremy LeBreton





Kit Contents:

- | | |
|--------------------------|------------------------------|
| ① Side Stand Upper | ④ (2) M4 Flat Head Fasteners |
| ② Side Stand Lower | ⑤ (2) M6 Flat Head Fasteners |
| ③ Optional Kick Down Peg | ⑥ Spring Puller |



Tools necessary:

- | | |
|-------------|---|
| ① Extension | ⑥ Spring puller (included) |
| ② Ratchet | ⑦ Thread locker
(included when purchased direct from AltRider) |
| ③ Torx T50 | ⑧ Waterproof grease |
| ④ Torx T30 | |
| ⑤ Torx T20 | |



①



Safely lean your bike up against a wall or use the center stand. Prior to removing the spring, make sure to note its orientation as it will require the same orientation on the new AltRider side stand. Put your side stand in the up position and using the included spring puller remove the OEM double spring on the OEM side stand. It may be easiest to use the palm of one hand to push against the bottom of the raised side stand as leverage while using the other hand to pull on the spring. Save the springs.

②



Using a T30 Torx remove the bolt on the back of the side stand holding the plastic side stand switch sensor. The sensor can temporarily hang, not the alignment peg for the sensor, it will be inserted into the AltRider side stand. Save all hardware

③



Using an extension and the torx T50 remove the pivot bolt.

④



Apply plenty of grease to the shaft of the pivot bolt and the inside diameter of the AltRider side stand. Apply thread lock to the threads of the pivot bolt. Using a torx T50 tighten 30Nm (22 Ft-lb)

⑤



Put 5-8 drops of thread lock on the M6 bolt holding the side stand switch. Tighten the bolt snug. Attach the springs and the springs will have enough strength to move the stand up. If there is any stickiness back off the bolt about 1/16th of a turn.

Let the thread lock cure for 16-24 hours

⑥



If the kick down peg is desired apply thread lock to the 2 M4 fasteners and tighten snug with a torx T20

⑦



After deciding at what height setting you want your adjustable side stand apply thread lock to the 2 M6 fasteners and tighten to 10Nm (7 Ft-lb)

CONGRATULATIONS!

You've completed your installation. If at any point you have questions about your installation or have any feedback for us, we'd love to hear it. A downloadable version of these instructions can be found at our website. www.AltRider.com

Global Office:

email: info@altrider.com
phone: +1 206-922-3618
address: 3708 Airport Way South
Seattle, WA 98134

Europe Office:

email: info@altrider.eu
address: Spectrumlaan 31
2665 NM Bleiswijk
Netherlands



youtube.com/altriderllc



facebook.com/altrider



[@altriderllc](https://twitter.com/altriderllc)



[@altrider_official](https://www.instagram.com/altrider_official)

TERMS OF USE, WARRANTY AND LIABILITY WAIVER

AltRider LLC, a Washington company, having its principal place of business in Seattle, WA ("AltRider") offers its motorcycle accessories (the "Product") with the terms, conditions and notices as follows:

Terms of Use

This Product is offered to you conditioned upon your acceptance without modification of the terms, conditions, and notices contained herein. Installation and/or use of this product implies acceptance of all such terms, conditions, and notices. If you do not agree to these terms, do not buy the Product. If you have already bought the Product and do not agree to these terms, return this Product promptly including the packaging and all written materials, to AltRider.

Limitation of Liability and Warranty Disclaimer

You may return your merchandise for a full refund or exchange, less any original or return shipping fees under these conditions:

1. Only if the merchandise is in 100% factory condition. Original manufacturer's packaging and same condition as sold – original boxes, packaging material, instructions, documentation, parts, and attached tags.
2. Only unused, unscratched, uninstalled, undamaged merchandise will be accepted. Do not install equipment until you are sure you want to keep it. Package items carefully in protective materials before returning them. Never ship an item in its original manufacturer's packaging – it will arrive damaged. Please use a postal box or other adequate packaging to ensure your return or exchange is not damaged on the way back to AltRider.com.

To read more about our exchanges and returns policy, on the web, navigate to www.altrider.com/index.php/symfony/exchangesAndReturns

Excepting the warranties stated in the preceding paragraph, AltRider hereby disclaims all other warranties and conditions with regard to the Product including all implied warranties and conditions of merchantability and fitness for a particular purpose. There are no warranties which extend beyond the description on the face hereof. AltRider does not warrant against damages or defects arising out of use or installation of the Product. Installation instructions are provided for your convenience. AltRider is not responsible for any damages arising out of the installation, improper or otherwise, of the Product. No warranty of any kind, expressed or implied, is made regarding the safety of this Product.

To the extent allowed by law, AltRider shall not be held liable for any direct, indirect, punitive, incidental, special or consequential damages arising out of, or connected with, the use or misuse of this Product. Buyer assumes all risks and liability arising from use of this Product.

Entire Agreement

This document states the entire obligation of AltRider with respect to the Product. If any part of this agreement is determined to be void, invalid, unenforceable or illegal, including, but not limited to the warranty disclaimers and liability limitations set forth above, then the remainder of the agreement shall remain in full force and effect.

Applicable Law

This agreement is governed by the laws of Washington, USA. You hereby consent to the exclusive jurisdiction and venue of the courts of Washington, USA, in all disputes arising out of or relating to the use of this product.